

Private Bag X447, Pretoria, 0001, Environment House, 473 Steve Biko Road, Pretoria, 0002 Tel: +27 12 399 9000, Fax: +27 86 625 1042

Reference: NAQO Response to NECA 19 December 2023 Enquiries: Dr Patience Gwaze

Tel: 012 399 9192 Email: pgwaze@dffe.gov.za

Ms. Mira Briel

National Environmental Consultative and Advisory Forum Harris Nupen Molebatsi Inc.
Per: Mira Briel

Email: mira@hnmattorneys.co.za

Dear Ms. Briel,

RE: CLARITY REGARDING INTERPRETATION OF THE NAQO'S DECISIONS

- 1. The abovementioned request for clarity on the decisions of the National Air Quality Officer on the five Eskom power stations: Hendrina; Camden; Arnot; Grootvlei; and Kriel bear reference.
- 2. Below are the NAQO decisions for SO₂ postponement/suspensions on the five Eskom power stations and clarity on the interpretation of each decision is presented in the respective table.
- 3. Reference may not be made to existing plant limits as Listed Activities and Associated Minimum Emission Standards Identified in terms of Section 21 of the National Environmental Management: Air Quality Act, 2004 (Act 39 of 2004) paragraph 11(D) stipulates that 'No postponement of compliance timeframes or a suspension of compliance timeframes shall be granted for compliance with minimum emission standards for existing plant".
- 4. As such, the statements "The requirement to comply with the minimum emission standards for new plant as stated in the 2015 postponement decision with a limit of thus remains in place" may not make reference to existing plant standards.
- 5. All reference to the SO₂ postponements for the five Eskom power stations: Hendrina; Camden; Arnot; Grootvlei; and Kriel are hereby clarified by representing all suspensions from **01 April 2020 to 31 March 2030** with the respective emission limits for each plant.



RE: CLARITY REGARDING INTERPRETATION OF THE NAQO'S DECISIONS

Anot	Appliance	Suspension	Emission Standards				
S21 Category		Sought	Minimum Emission			Decision	
			Standard	Standards (mg/Nm³)			
			Pollutant	2015	2020		
Subcategory 1.1: Solid Fuel Combustion Installations	6 Units	2020-2030	SO ₂	3500	1000	Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2025 to 31 March 2030 with a limit of 2500mg/Nm³ during this period. The requirement to comply with the minimum emission standards for new plant as stated in the 2015 postponement decision with a limit of 2500mg/Nm³ from 1 April 2020 to 31 March 2025 thus remains in place. Clarity Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2020 to 31 March 2030 with a limit of 2500mg/Nm³ during this period.	

Camden	Appliance	Suspension	Emission Standards				
S21 Category		Sought	Minimum Emission Standards (mg/Nm³)			Decision	
			Pollutant	2015	2020		
Subcategory 1.1: Solid Fuel Combustion Installations	6 Units	2020-2030	SO ₂	3500	1000	Suspension of compliance timeframe with the minimum emission standards for new plant is granted. The requirement to comply with the minimum emission standards for new plant as stated in the 2015 postponement decision with a limit of 3500mg/Nm³ from 1 April 2020 to 31 March 2025 thus remains in place. Clarity Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2020 to 31 March 2030 with a limit of 3500mg/Nm³ during this period.	

RE: CLARITY REGARDING INTERPRETATION OF THE NAQO'S DECISIONS

Grootvlei	Appliance	Suspension	Emission Standards				
S21 Category		Sought	Minimum Emission Standards (mg/Nm³)			Decision	
			Pollutant	2015	2020		
Subcategory 1.1: Solid Fuel Combustion Installations	6 Units	2020-2030	SO ₂	3500	1000	Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2025 to 31 March 2030 with a limit of 3500mg/Nm³ during this period. The requirement to comply with the minimum emission standards for new plant as stated in the 2015 postponement decision with a limit of 3500mg/Nm³ from 1 April 2020 to 31 March 2025 thus remains in place. Clarity Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2020 to 31 March 2030 with a limit of 3500mg/Nm³ during this period.	

Hendrina	Appliance	Suspension	Emission Standards				
S24 Catamami		Sought	Minimum Emission Standards (mg/Nm³)			Decision	
S21 Category							
Subcategory 1.1: Solid Fuel Combustion Installations	6 Units	2020-2030	SO ₂	3500	1000	Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2025 to 31 December 2026 with a limit of 3200mg/Nm³ during this period. The requirement to comply with the minimum emission standards for new plant as stated in the 2015 postponement decision with a limit of 3200mg/Nm³ from 1 April 2020 to 31 March 2025 thus remains in place. Clarity Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2020 to 31 March 2030 with a limit of 3200mg/Nm³ during this period.	

RE: CLARITY REGARDING INTERPRETATION OF THE NAQO'S DECISIONS

Kriel	Appliance	Suspension	Emission Standards				
C24 Catamami		Sought	Minimum Emission Standards (mg/Nm³)			Decision	
S21 Category			Pollutant	is (mg/i 2015	vm³) 2020		
Subcategory 1.1: Solid Fuel Combustion Installations	6 Units	2020-2030	SO ₂	3500	1000	Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2025 to 31 March 2030 with a limit of 2800mg/Nm³ during this period. The requirement to comply with the minimum emission standards for new plant as stated in the 2015 postponement decision with a limit of 2800mg/Nm³ from 1 April 2020 to 31 March 2025 thus remains in place. Clarity Suspension of compliance timeframe with the minimum emission standards for new plant is granted from 1 April 2020 to 31 March 2030 with a limit of 2800mg/Nm³ during this period.	

Please let us know if this clarification is sufficient.

Yours sincerely,

DR PATIENCE GWAZE

DEPARTMENT OF FORESTRY, FISHERIES AND THE ENVIRONMENT

DESIGNATION: NATIONAL AIR QUALITY OFFICER

DATE: 09 JANUARY 2024